

CMI

Intermittent Horizontal Cartoner



BRUNNER
Kartoniermaschinen
Verpackungsanlagen

CMI



- Machine output up to 80 cartons per minute
- Extremely large format range
- Cam controlled
- Diverse product infeed pusher
- Tuck-in, hotmelt and special closure

The CMI is a compact cartoner which also has a large format range.

The flexibility is shown in the quick change over, with little effort you can change over from one format to another in a very short time frame. The closure guides and guide rails are adjusted with one setting.

The maximum production output of the intermittent working cartoner is 80 cartons per minute.


The solid construction guarantees a vibration free system, which also reduces the noise level.

The CMI concept is geared for maintenance friendly and safe performance and high durability of the equipment.

In summary the CMI is a cartoner which offers simple set-up and has a very small floorspace which is the solution for solving many of your problems.

Branches area:

- **Cosmetic**
- **Food industry**
- **Technical parts**
- **Confectionery**
- **Chemical products**



CMI

Technical data:

The CMI is available in three versions

Folding box formats	CMI-4"	CMI-8"	CMI-11"
	20 - 75 mm	20 - 150 mm	20 - 230 mm [A]
	15 - 75 mm	15 - 80 mm	15 - 125 mm [B]
	55 - 225 mm	55 - 225 mm	55 - 250 mm [H]
Output	80 cpm	70 cpm	50 cpm
Folding box closure	Tuck-in closure Hotmelt closure Tamper evident closure		
Options	Instruction sheet folding and feeding system (GuK) Infeed of prefolded instruction sheets or brochures Fully automatic product infeed system Embossing device and colour printing Recording of operating data Validation according to customer request Customer designed options and special equipment Customer specific synchronisation with upstream machines		

Technology is subject to change without notice